Author Index

ABADIE A. *see* ROMAN V.
ABO T. *see* MORODA T.
ALI S. *see* CUNNINGHAM A.C.
ALLAIN F. *see* DENYS A.
ALLER W.W. *see* SANCHEZ-GARCIA F.J.
AMEMIYA H. *see* SHINOMIYA T.
AMIRAND C. *see* ROMAN V.
ANSORGE S. *see* REINHOLD D.
AOI T., NAKANO H., TANAKA Y. & KAKIUCHI T. Enhancement of antigen-presenting ability of B lymphoma cells by partial inhibition of protein synthesis through inducing B7-1 expression, 212
AOYAGI T. *see* KAWAKAMI A.
APRIL M.J. *see* DENAULT S.
AURIAULT C. *see* WOLOWCZUK I.
AZOUAOU N., PETROFSKY M., YOUNG L.S. & BERMUDEZ L.E. *Mycobacterium avium* infection in mice is associated with time-related expression of Th1 and Th2 $CD4^+$ T-lymphocyte response, 414

BAECHER-ALLAN C.M. *see* O'BRIEN D.P.
BANCROFT G.J. *see* CROSS C.E.
BANK U. *see* REINHOLD D.
BARBOZA M.E. *see* LARREGINA A.T.
BARNES P.J. *see* HACZKU A.
BARTH R.K. *see* O'BRIEN D.P.
BARTHOLOMEW M. *see* BRETT S.J.
BEACOCK-SHARP H. *see* YOUNG J.L.
BELL E.B. *see* HARGREAVES M.
BENBERNOU N., ESNAULT S., SHIN H.C.K., FEKKAR H. & GUENOUNOU M. Differential regulation of IFN-γ, IL-10 and inducible nitric oxide synthase in human T cells by cyclic AMP-dependent signal transduction pathway, 361
BEPPU M. *see* KADENA T.
BERMUDEZ L.E. *see* AZOUAOU N.
BERNEMAN Z.N. *see* LARDON F.
BICE D. *see* SCHUYLER M.
BLANCHARD D. *see* EDELMAN L.
BLEEKER M.W.P., NETEA M.G., KULLBERG B.J., VAN DER VEN-JONGEKRIJG J. & VAN DER MEER J.W.M. The effects of dexamethasone and chlorpromazine on tumour necrosis factor-α, interleukin-1β, interleukin-1 receptor antagonist and interleukin-10 in human volunteers, 548
BODMER M. *see* SUITTERS A.J.
BOECKXTAENS C.J. *see* LARDON F.
BORN W. *see* KELLY K.A.
BRAND H. *see* SUITTERS A.J.
BRETT S.J., ROWAN W., SMITH M., BARTHOLOMEW M. & TITE J.P. Differential functional effects of a humanized anti-CD4 antibody on resting and activated human T cells, 346
BRÍGIDO M.M. *see* FEIJÓ G.C.S.
BRINKMAN V. & KRISTOFIC C. Massive production of Th2 cytokines by human $CD4^+$ effector T cells transiently expressing the natural killer cell marker CD57/HNK1, 541
BRÖCKER E.-B. *see* GOEBELER M.
BROWN W.R, RABBANI H., BUTLER J.E. & HAMMARSTRÖM L. Characterization of the bovine Cα gene, 1
BRYNIARSKI K. *see* MARCINKIEWICZ J.
BUCKNALL R.C. *see* QUAYLE J.A.
BÜHLING F. *see* REINHOLD D.
BUNGRE J. *see* TILL S.
BURNETT E.R. *see* SANDILANDS G.P.
BURNS N.P. JR *see* O'BRIEN D.P.
BUTLER J.E. *see* BROWN W.R

CAI S. *see* GHIASI H.
CAMPBELL A.K. *see* TAYLOR K.M.
CARAYANNIOTIS G. *see* RAO V.P.
CARDONA A. *see* EDELMAN L.
CARNEIRO C.R.W. *see* FEIJÓ G.C.S.
CAULFIELD M.J. *see* DIIULIO N.A.
CHAABIHI H. *see* EDELMAN L.
CHABY R. *see* GIRARD R.
CHAIN B.M. *see* MARCINKIEWICZ J.
CHAPMAN M.D. *see* RICHARDS D.
CHUI D. *see* ONG C.J.
CHUNG K.F. *see* HACZKU A.
COLLINS H.L. *see* CROSS C.E.
CONTI B. *see* OLIKOWSKY T.
CORATO A. *see* MAZZA G.
CORRADIN G. *see* TOUJAS L.
CORRIGAN C. *see* TILL S.
COUTELIER J.P. *see* MAZZA G.
CROSS C.E., COLLINS H.L. & BANCROFT G.J. CR3-dependent phagocytosis by murine macrophages: different cytokines regulate ingestion of a defined CR3 ligand and complement-opsonized *Cryptococcus neoformans*, 289
CUNHA F.Q. *see* SOUZA M.H.L.P.
CUNNINGHAM A.C., ZHANG J.-G., MOY J.V., ALI S. & KIRBY J.A. A comparison of the antigen-presenting capabilities of class II MHC-expressing human lung epithelial and endothelial cells, 458

DAY M.J. *see* MAZZA G.
DELACRE M. *see* WOLOWCZUK I.
DELCROS J.-G. *see* TOUJAS L.
DELICE D. *see* JULIUS P. JR
DENAULT S., APRIL M.J. & STANKOVÁ J. Transcriptional activation of the interleukin-8 gene by platelet-activating factor in human peripheral blood monocytes, 297
DENYS A., ALLAIN F., FOXWELL B. & SPIK G. Distribution of cyclophilin B-binding sites in the subsets of human peripheral blood lymphocytes, 609
DESROIS M. *see* SIMON A.K.
DICKASON R. *see* TILL S.
DIEZ E. *see* TOUJAS L.
DIIULIO N.A., FAIRCHILD R.L. & CAULFIELD M.J. The anti-erythrocyte autoimmune response of NZB mice. Identification of two distinct autoantigens, 246
DOMSCHKE W. *see* LÜGERING N.
DONACHIE A.M. *see* KOMAI-KOMA M.
DOWNIE I. *see* SANDILANDS G.P.
DUDHANE A. *see* OLIKOWSKY T.
DUDLER L. *see* HEIN W.R.
DUGAS B. *see* ROMAN V.
DUGAS N. *see* ROMAN V.
DUMAS G. *see* EDELMAN L.
DURHAM S. *see* TILL S.
DUSCHL A. *see* GOEBELER M.
DUTZ J.P. *see* ONG C.J.

EDELMAN L., MARGARITTE C., CHAABIHI H., MONCHÂTRE E., BLANCHARD D., CARDONA A., MORIN F., DUMAS G., PETRES S. & KACZOREK M. Obtaining a functional recombinant anti-rhesus (D) antibody using the baculovirus–insect cell expression system, 13
EDWARDS S.W. *see* QUAYLE J.A.
EGUCHI K. *see* KAWAKAMI A.
EL AZAMI EL IDRISSI M. *see* MAZZA G.
EL-GHORR A.A. *see* HART P.H.

ELSON C.J. *see* MAZZA G.
ERICKSON K.L. *see* SUK K.
ERLANDSSON-HARRIS H. *see* SVELANDER L.
ESNAULT S. *see* BENBERNOU N.

FAINBOIM L. *see* LARREGINA A.T.
FAIRCHILD R.L. *see* DIIULIO N.A.
FAUST J. *see* REINHOLD D.
FEIJÓ G.C.S., SABBAGA J., CARNEIRO C.R.W. & BRÍGIDO M.M. Variable region structure and Staphylococcal protein A binding specificity of a mouse monoclonal IgM anti-laminin-receptor antibody, 479
FEKKAR H. *see* BENBERNOU N.
FELDMANN M. *see* FIEHN C.
FERRANTE A. *see* ROBINSON B.S.
FIEHN C., PALEOLOG E.M. & FELDMANN M. Selective enhancement of endothelial cell VCAM-1 expression by interleukin-10 in the presence of activated leucocytes, 565
FINLAY-JONES J.J. *see* HART P.H.
FORTUNE F. *see* WARR K.
FOULKES R. *see* SUITTERS A.J.
FOXWELL B. *see* DENYS A.
FUJISE S. *see* KADENA T.

GAO J.-X., MADRENAS J., ZENG W., ZHONG R. & GRANT D. Generation of dendritic cell-like antigen-presenting cells in long-term mixed leucocyte culture: phenotypic and functional studies, 135
GASTON J.S.H. *see* YOUNG J.L.
GEORGE A.J.T. *see* PALMER D.B.
GERVOIS N. *see* TOUJAS L.
GHIASI H., ROOPENIAN D.C., SLANINA S., CAI S., NESBURN A.B. & WECHSLER S.L. The importance of MHC-I and MHC-II responses in vaccine efficacy against lethal herpes simplex virus type 1 challenge, 430
GIANNINI S.L. *see* WOLOWCZUK I.
GIBBONS A.E., SHELLAM G.R. & PRICE P. Correlation between natural killer cell activation in the bone marrow and haemopoietic dysfunction following cytomegalovirus infection of mice, 227
GILLITZER R. *see* GOEBELER M.
GIRARD R., PEDRON T. & CHABY R. Functional lipopolysaccharide receptors of low affinity are constitutively expressed on mouse bone marrow cells, 391
GOEBELER M., SCHNARR B., TOKSOY A., KUNZ M., BRÖCKER E.-B., DUSCHL A. & GILLITZER R. Interleukin-13 selectively induces monocyte chemoattractant protein-1 synthesis and secretion by human endothelial cells. Involvement of IL-4Rα and Stat6 phosphorylation, 450
GOLDMAN M. *see* KOSSODO S.
GOODALL J.C. *see* YOUNG J.L.
GRABOWSKA A. *see* MARCINKIEWICZ J.
GRANT D. *see* GAO J.-X.
GRAU G.E. *see* KOSSODO S.
GREENLEE B.M. *see* MOLLER D.R.
GUENOUNOU M. *see* BENBERNOU N.

HACZKU A., MACARY P., HUANG T.-J., TSUKAGOSHI H., BARNES P.J., KAY A.B., KEMENY D.M., CHUNG K.F. & MOQBEL R. Adoptive transfer of allergen-specific $CD4^+$ T cells induces airway inflammation and hyperresponsiveness in Brown–Norway rats, 176
HAMANO S. *see* MATSUZAKI G.
HAMAOKA T. *see* KOSUGI A.
HAMMARSTRÖM L. *see* BROWN W.R
HARGREAVES M. & BELL E.B. Identical expression of CD45R isoforms by $CD45RC^+$ 'revertant' memory and $CD45RC^+$ naive CD4 T cells, 323
HART P.H., JAKSIC A., SWIFT G., NORVAL M., EL-GHORR A.A. & FINLAY-JONES J. J. Histamine involvement in UVB- and *cis*-urocanic acid-induced systemic suppression of contact hypersensitivity responses, 601
HASHIMOTO M. *see* SAKAGUCHI M.
HASHIMOTO Y. *see* KOSUGI A.
HATAKEYAMA K. *see* MORODA T.
HEIN W.R. & DUDLER L. TCR $\gamma\delta^+$ are prominent in normal bovine skin and express a diverse repertoire of antigen receptors, 58
HENCKAERTS E. *see* LARDON F.
HII C.S.T. *see* ROBINSON B.S.
HIRST T.R. *see* NASHAR T.O.
HITSUMOTO Y. *see* KAWAMOTO Y.
HOFFMANN M.K. *see* OLIKOWSKY T.
HOLERS V.M. *see* KAWAMOTO Y.
HOLT P.G. & THOMAS J.A. Steroids inhibit uptake and/or processing but not presentation of antigen by airway dendritic cells, 145
HORI T. *see* YAMABE T.
HORIUCHI S., KOYANAGI Y., TANAKA Y., WAKI M., MATSUMOTO A., ZHOU Y.W., YAMAMOTO M. & YAMAMOTO N. Altered interleukin-2 receptor α-chain is expressed in human T-cell leukaemia virus type-I-infected T-cell lines and human peripheral blood mononuclear cells of adult T-cell leukaemia patients through an alternative splicing mechanism, 28
HOROWITZ H. *see* OLIKOWSKY T.
HUANG T.-J. *see* HACZKU A.
HUSTON D. *see* TILL S.

IIAI T. *see* MORODA T.
IKEBE H. *see* MATSUZAKI G.
INOUYE S. *see* SAKAGUCHI M.

JAKSIC A. *see* HART P.H.
JOTEREAU F. *see* TOUJAS L.
JUILLARD P. *see* KOSSODO S.
JULIUS P. JR, KAGA M., PALMER Y., VYAS V., PRIOR L., DELICE D. & RIGGS J. Recipient age determines the success of intraperitoneal transplantation of peritoneal cavity B cells, 383
JULKUNEN I. *see* KESKINEN P.

KACZOREK M. *see* EDELMAN L.
KADENA T., MATSUZAKI G., FUJISE S., KISHIHARA K., TAKIMOTO H., SASAKI M., BEPPU M., NAKAMURA S. & NOMOTO K. $TCR\alpha\beta^+$ $CD4^-$ $CD8^-$ T cells differentiate extrathymically in an *lck*-independent manner and participate in early response against *Listeria monocytogenes* infection through interferon-γ production, 511
KAGA M. *see* JULIUS P. JR
KAKIUCHI T. *see* AOI T.
KARP C.L. *see* MOLLER D.R.
KATAOKA T., TOGASHI K., TAKAYAMA H., TAKAKU K. & NAGAI K. Inactivation and proteolytic degradation of perforin within lytic granules upon neutralization of acidic pH, 493
KAWABE Y. *see* KAWAKAMI A.
KAWACHI Y. *see* MORODA T.
KAWAGUCHI-MIYASHATI M., NANNO M., SHIMADA S., NAGAOKA N., OKAKA Y., MATSUMOTO S., UMESAKI Y., MATSUOKA Y. & OHWAKI M. A step-wise expansion of intestinal intraepithelial T lymphocytes in association with microbial colonization is defined by sensitivity to cyclosporin A, 628
KAWAKAMI A., EGUCHI K., MATSUOKA N., TSUBOI M., URAYAMA S., KAWABE Y., AOYAGI T., MAEDA K. & NAGATAKI S. Inhibitory effects of interleukin-10 on synovial cells of rheumatoid arthritis, 252
KAWAMOTO Y., KOJIMA K., HITSUMOTO Y., OKADA H., HOLERS V.M. & MIYAMA A. The serum resistance of malaria-infected erythrocytes, 7
KAY A.B. *see* HACZKU A.
see also TILL S.
KELLY K.A., O'BRIEN R. & BORN W. Reconstitution of SCID mice with haematopoietic precursors: a detailed analysis of γδ T-cell reconstitution, 65
KEMENY D.M. *see* HACZKU A.
see also RICHARDS D.
KERSTENS L.L. *see* LARDON F.

KESKINEN P., RONNI T., MATIKAINEN S., LEHTONEN A. & JULKUNEN I. Regulation of HLA class I and II expression by interferons and influenza A virus in human peripheral blood mononuclear cells, 421
KIRBY J.A. *see* CUNNINGHAM A.C.
KISHIHARA K. *see* KADENA T.
KITAOKA Y. *see* YAMABE T.
KLAGGE I., KOPP U. & KOCH N. Granulocyte–macrophage colony-stimulating factor elevates invariant chain expression in immature myelomonocytic cell lines, 114
KLEINAU S. *see* SVELANDER L.
KOCH N. *see* KLAGGE I.
KOJIMA K. *see* KAWAMOTO Y.
KOLB J.-P. *see* ROMAN V.
KOLKOWSKI E. *see* LARREGINA A.T.
KÖLSCH E. *see* SUDOWE S.
KOMAI-KOMA M., DONACHIE A.M. & WILKINSON P.C. Antigen-specific chemotaxis of B cells, 579
KOPP U. *see* KLAGGE I.
KOSSODO S., MONSO C., JUILLARD P., VELU T., GOLDMAN M. & GRAU G. E. Interleukin-10 modulates susceptibility in experimental cerebral malaria, 536
KOSUGI A., NODA S., SAITOH S.I., NARUMIYA S., OGATA M., HASHIMOTO Y., TAKASE K., SAITO T. & HAMAOKA T. Subunit composition of pre-T-cell receptor complex analysed by monoclonal antibody against the pre-T-cell receptor α chain, 618
KOYANAGI Y. *see* HORIUCHI S.
KOZLOV V.A. *see* SELEDTSOVA G.V.
KRIEG A.M. *see* MACFARLANE D.E.
KRISTOFIC C. *see* BRINKMAN V.
KUCHARZIK T. *see* LÜGERING N.
KULLBERG B.J. *see* BLEEKER M.W.P.
KUMAGAI K. *see* RIKIISHI H.
KUNDU S.K. & MERIGAN T.C. Heterogeneity of cytokine functions in HIV infection, 234
KUNZ M. *see* GOEBELER M.
KURIMOTO M. *see* SAKAGUCHI M.

LANGERMANS J.A.M. *see* VAN FURTH A.M.
LARDON F., SNOECK H.-W., BERNEMAN Z.N., VAN TENDELOO V.F.I., NIJS G., LENJOU M., HENCKAERTS E., BOECKXTAENS C.J., VANDENABEELE P., KERSTENS L.L., VAN BOCKSTAELE D.R. & VANHAM G.L.E.E. Generation of dendritic cells from bone marrow progenitors using GM-CSF, TNF-α, and additional cytokines: antagonistic effects of IL-4 and IFN-γ and selective involvement of TNF-α receptor-1, 553
LARREGINA A.T., MORELLI A.E., KOLKOWSKI E., SANJUAN N., BARBOZA M.E. & FAINBOIM L. Pattern of cytokine receptors expressed by human dendritic cells migrated from dermal explants, 303
LEE T.H. *see* RICHARDS D.
LEES S. *see* TERRY L.A.
LEHNER T. *see* WARR K.
LEHTONEN A. *see* KESKINEN P.
LENDECKEL U. *see* REINHOLD D.
LENJOU M. *see* LARDON F.
LENZO J.C. *see* YERKOVICH S.T.
LEONARD J. *see* SUITTERS A.J.
LESLIE R.G.Q. *see* MARQUART H.V.
LI X.-K. *see* SHINOMIYA T.
LIMA A.A.M. *see* SOUZA M.H.L.P.
LIU Z.-X. *see* RIKIISHI H.
LÜGERING A. *see* LÜGERING N.
LÜGERING N., KUCHARZIK T., LÜGERING A., WINDE G., SORG C., DOMSCHKE W. & STOLL R. Importance of combined treatment with IL-10 and IL-4, but not IL-13, for inhibition of monocyte release of the Ca^{2+}-binding protein MRP8/14, 130
LYERLY D.M. *see* SOUZA M.H.L.P.
LYONS C.R. *see* SCHUYLER M.

MA X. *see* MOLLER D.R.
MACARY P. *see* HACZKU A.
MACDONALD T.T. *see* MCDONALD S.A.C.
MACFARLANE D.E., MANZEL L. & KRIEG A.M. Unmethylated CpG-containing oligodeoxynucleotides inhibit apoptosis in WEHI-231 B lymphocytes induced by several agents: evidence for blockade of apoptosis at a distal signalling step, 586
MACINTYRE N. *see* TERRY L.A.
MACPHERSON S.A. *see* SANDILANDS G.P.
MACSWEEN R.N.M. *see* SANDILANDS G.P.
MADRENAS J. *see* GAO J.-X.
MAEDA K. *see* KAWAKAMI A.
MANZEL L. *see* MACFARLANE D.E.
MARCINKIEWICZ J., GRABOWSKA A., BRYNIARSKI K. & CHAIN B.M. Enhancement of $CD4^+$ T-cell-dependent interleukin-2 production *in vitro* by murine alveolar macrophages: the role of leukotriene B_4, 369
MARGARITTE C. *see* EDELMAN L.
MARQUART H.V., RASMUSSEN J.M. & LESLIE R.G.Q. Complement-activating ability of leucocytes from patients with complement factor I deficiency, 486
MARTH J.D. *see* ONG C.J.
MASTEN B. *see* SCHUYLER M.
MATIKAINEN S. *see* KESKINEN P.
MATSUMOTO A. *see* HORIUCHI S.
MATSUMOTO S. *see* KAWAGUCHI-MIYASHATI M.
MATSUOKA N. *see* KAWAKAMI A.
MATSUOKA Y. *see* KAWAGUCHI-MIYASHATI M.
MATSUZAKI G. *see* KADENA T.
MATSUZAKI G., SONODA K.-H., MUKASA A., YAMADA H., NAKAMURA T., IKEBE H., HAMANO S. & NOMOTO K. The characterization of testicular cell (TC)-specific T-cell clones, induced by intratesticular *Listeria monocytogenes* infection: TC-specific T cells with atypical cytokine profile transfer orchitis, 520
MAZZA G., EL AZAMI EL IDRISSI M., COUTELIER J.P., CORATO A., ELSON C.J., PFAU C.J. & DAY M.J. Infection of C3HeB/FeJ mice with the docile strain of lymphocytic choriomeningitis virus induces autoantibodies specific for erythrocyte Band 3, 239
MCCARTHY J.B. *see* YBARRONDO B.
MCCORMACK W.T. *see* SANCHEZ-GARCIA F.J.
MCDONALD S.A.C., PALMEN M.J.H.J., VAN REES E.P. & MACDONALD T. T. Characterization of the mucosal cell-mediated immune response in IL-2 knockout mice before and after the onset of colitis, 73
MELO-FILHO A.A. *see* SOUZA M.H.L.P.
MERIGAN T.C. *see* KUNDU S.K.
MESCHER M.F. *see* YBARRONDO B.
MITSUYAMA M. *see* YANG J.
MIYAMA A. *see* KAWAMOTO Y.
MOLLER D.R., WYSOCKA M., GREENLEE B.M., MA X., WAHL L., TRINCHIERI G. & KARP C.L. Inhibition of human interleukin-12 production by pentoxifylline, 197
MONCHÂTRE E. *see* EDELMAN L.
MONSO C. *see* KOSSODO S.
MOQBEL R. *see* HACZKU A.
MORELLI A.E. *see* LARREGINA A.T.
MORIN F. *see* EDELMAN L.
MORODA T., IIAI T., SUZUKI S., TSUKAHARA A., TADA T., NOSE M., HATAKEYAMA K., SEKI S., TAKEDA K., WATANABE H. & ABO T. Autologous killing by a population of intermediate T-cell receptor cells and its $NK1.1^+$ and $NK1.1^-$ subsets, using Fas ligand/Fas molecules, 219
MORODA T., KAWACHI Y., IIAI T., TSUKAHARA A., SUZUKI S., TADA T., WATANABE H., HATAKEYAMA K. & ABO T. Self-reactive forbidden clones are confined to pathways of intermediate T-cell receptor cell differentiation even under immunosuppressive conditions, 88
MOY J.V. *see* CUNNINGHAM A.C.
MUKASA A. *see* MATSUZAKI G.
MÜSSENER A. *see* SVELANDER L.

NAGAI K. *see* KATAOKA T.
NAGAOKA N. *see* KAWAGUCHI-MIYASHATI M.
NAGATAKI S. *see* KAWAKAMI A.

NAGOYA T. *see* SAKAGUCHI M.
NAKAMURA S. *see* KADENA T.
NAKAMURA T. *see* MATSUZAKI G.
NAKANO H. *see* AOI T.
NAMIE S. *see* WARR K.
NANNO M. *see* KAWAGUCHI-MIYASHATI M.
NARUMIYA S. *see* KOSUGI A.
NASH A.A. *see* TERRY L.A.
NASHAR T.O., HIRST T.R. & WILLIAMS N.A. Modulation of B-cell activation by the B subunit of *Escherchia coli* enterotoxin: receptor interaction up-regulates MHC class II, B7, CD40, CD25 and ICAM-1, 572
NESBURN A.B. *see* GHIASI H.
NETEA M.G. *see* BLEEKER M.W.P.
NEUBERT K. *see* REINHOLD D.
NIGI H. *see* SAKAGUCHI M.
NIJS G. *see* LARDON F.
NODA S. *see* KOSUGI A.
NOMOTO K. *see* KADENA T.
see also MATSUZAKI G.
NORVAL M. *see* HART P.H.
NOSE M. *see* MORODA T.

O'BRIEN D.P., BAECHER-ALLAN C.M., BURNS N.P. JR, SHASTRI N. & BARTH R.K. Elimination of T-cell-receptor β-chain diversity in transgenic mice restricts antigen-specific but not alloreactive responses, 375
O'BRIEN R. *see* KELLY K.A.
O'ROURKE A.M. *see* YBARRONDO B.
OGATA M. *see* KOSUGI A.
OHWAKI M. *see* KAWAGUCHI-MIYASHATI M.
OKADA H. *see* KAWAMOTO Y.
OKAKA Y. *see* KAWAGUCHI-MIYASHATI M.
OKAMOTO S. *see* RIKIISHI H.
OKUBO Y. *see* YAMABE T.
OLIKOWSKY T., WANG Z.-Q., DUDHANE A., HOROWITZ H., CONTI B. & HOFFMANN M.K. Two distinct pathways of human macrophage differentiation are mediated by interferon-γ and interleukin-10, 104
OLVER S.D. *see* YERKOVICH S.T.
ONG C.J., DUTZ J.P., CHUI D., TEH H.-S. & MARTH J.D. CD45 enhances positive selection and is expressed at a high level in large, cycling, positively selected $CD4^+$ $CD8^+$ thymocytes, 95

PALEOLOG E.M. *see* FIEHN C.
PALMEN M.J.H.J. *see* MCDONALD S.A.C.
PALMER D.B., GEORGE A.J.T. & RITTER M.A. Selection of antibodies to cell surface determinants on mouse thymic epithelial cells using a phage display library, 473
PALMER Y. *see* JULIUS P. JR
PARKHOUSE R.M.E. *see* WHITTALL J.T.D.
PEACOCK C.D. *see* YERKOVICH S.T.
PEDRON T. *see* GIRARD R.
PETRES S. *see* EDELMAN L.
PETROFSKY M. *see* AZOUAOU N.
PFAU C.J. *see* MAZZA G.
PORTER J.R. *see* SUITTERS A.J.
POULOS A. *see* ROBINSON B.S.
PRICE P. *see* GIBBONS A.E.
see also YERKOVICH S.T.
PRIOR L. *see* JULIUS P. JR

QUAYLE J.A., WATSON F., BUCKNALL R.C. & EDWARDS S.W. Neutrophils from the synovial fluid of patients with rheumatoid arthritis express the high affinity immunoglobulin G receptor, FcγRI (CD64): role of immune complexes and cytokines in induction of receptor expression, 266

RABBANI H. *see* BROWN W.R
RADEMAEKERS A. *see* SUDOWE S.
RAO V.P., RUSSELL R.S. & CARAYANNIOTIS G. Recruitment of multiple Vβ genes in the TCR repertoire against a single pathogenic thyroglobulin epitope, 623
RASMUSSEN J.M. *see* MARQUART H.V.
REINHOLD D., BANK U., BÜHLING F., LENDECKEL U., FAUST J., NEUBERT K. & ANSORGE S. Inhibitors of dipeptidyl peptidase IV induce secretion of transforming growth factor-β_1 in PWM-stimulated PBMC and T cells, 354
RIBEIRO R.A. *see* SOUZA M.H.L.P.
RICHARDS D., CHAPMAN M.D., SASAMA J., LEE T.H. & KEMENY D.M. Immune memory in $CD4^+$ $CD45RA^+$ T cells, 274
RIGGS J. *see* JULIUS P. JR
RIKIISHI H., OKAMOTO S., SUGAWARA S., TAMURA K., LIU Z.-X. & KUMAGAI K. Superantigenicity of helper T-cell mitogen (SPM-2) isolated from culture supernatants of *Streptococcus pyogenes*, 406
RITTER M.A. *see* PALMER D.B.
ROBINSON B.S., HII C.S.T., POULOS A. & FERRANTE A. Activation of neutral sphingomyelinase in human neutrophils by polyunsaturated fatty acids, 274
ROBINSON D. *see* TILL S.
ROCHA M.F.G. *see* SOUZA M.H.L.P.
ROMAN V., DUGAS N., ABADIE A., AMIRAND C., ZHAO H., DUGAS B. & KOLB J.-P. Characterization of a constitutive type III nitric oxide synthase in human U937 monocytic cells: stimulation by soluble CD23, 643
RONNI T. *see* KESKINEN P.
ROOPENIAN D.C. *see* GHIASI H.
ROWAN W. *see* BRETT S.J.
ROYE O. *see* WOLOWCZUK I.
RUBIO N. Interferon-γ induces the expression of immediate early genes *c-fos* and *c-jun* in astrocytes 560
RUSSELL A.J. *see* SANDILANDS G.P.
RUSSELL R.S. *see* RAO V.P.

SABBAGA J. *see* FEIJÓ G.C.S.
SAITO T. *see* KOSUGI A.
SAITOH S.I. *see* KOSUGI A.
SAKAGUCHI M., HASHIMOTO M., NIGI H., YASUEDA H., TAKAHASHI Y., WATANABE M., NAGOYA T., TANIGUCHI Y., KURIMOTO M. & INOUYE S. Epitope specificity of IgE antibodies to a major allergen (Cry j 1) of Japanese cedar pollen in sera of humans and monkeys with pollionosis, 161
SAMARIN D.M. *see* SELEDTSOVA G.V.
SANCHEZ-GARCIA F.J., ALLER W.W. & MCCORMACK W.T. Impaired calcium mobilization and differential tyrosine phosphorylation in intestinal intraepithelial lymphocytes, 81
SANDILANDS G.P., MACPHERSON S.A., BURNETT E.R., RUSSELL A.J., DOWNIE I. & MACSWEEN R.N.M. Differential expression of CD32 isoforms following alloactivation of human T cells, 204
SANJUAN N. *see* LARREGINA A.T.
SASAKI M. *see* KADENA T.
SASAMA J. *see* RICHARDS D.
SCHMITT-VERHULST A.-M. *see* SIMON A.K.
SCHNARR B. *see* GOEBELER M.
SCHUYLER M., LYONS C.R., MASTEN B. & BICE D. Immunoglobulin response to intrapulmonary immunization of asthmatics, 167
SEKI S. *see* MORODA T.
SELEDTSOV V.I. *see* SELEDTSOVA G.V.
SELEDTSOVA G.V., SELEDTSOV V.I., TARABAN V.Y., SAMARIN D.M. & KOZLOV V.A. A role for interferon-γ and transforming growth factor-β in erythroid cell-mediated regulation of nitric oxide production in macrophages, 109
SEMANA G. *see* TOUJAS L.
SHASTRI N. *see* O'BRIEN D.P.
SHAW S. *see* SUITTERS A.J.
SHELLAM G.R. *see* GIBBONS A.E.
SHIMADA S. *see* KAWAGUCHI-MIYASHATI M.
SHIN H.C.K. *see* BENBERNOU N.
SHINNICK T. *see* WARR K.
SHINOMIYA T., LI X.-K., AMEMIYA H. & SUZUKI S. An immunosuppressive agent, FTY720, increases intracellular concentration of calcium ion and induces apoptosis in HL-60, 594

SIMON A.K., DESROIS M. & SCHMITT-VERHULST A.-M. Interferon regulatory factors during development of CD4 and CD8 thymocytes, 340
SIPES D.G. *see* SUK K.
SLANINA S. *see* GHIASI H.
SMITH M. *see* BRETT S.J.
SNOECK H.-W. *see* LARDON F.
SONODA K.-H. *see* MATSUZAKI G.
SORG C. *see* LÜGERING N.
SOUZA M.H.L.P., MELO-FILHO A.A., ROCHA M.F.G., LYERLY D.M., CUNHA F.Q., LIMA A.A.M. & RIBEIRO R.A. The involvement of macrophage-derived tumour necrosis factor and lipoxygenase products on the neutrophil recruitment induced by *Clostridium difficile* toxin B, 281
SPIK G. *see* DENYS A.
STANKOVÁ J. *see* DENAULT S.
STOLL R. *see* LÜGERING N.
SUDOWE S., RADEMAEKERS A. & KÖLSCH E. Antigen dose-dependent predominance of either direct or sequential switch in IgE antibody responses, 464
SUGAWARA S. *see* RIKIISHI H.
SUGIE K. *see* YAMABE T.
SUITTERS A.J., SHAW S., WALES M.R., PORTER J.R., LEONARD J., WOODGER R., BRAND H., BODMER M. & FOULKES R. Immune enhancing effects of dehydroepiandrosterone and dehydroepiandrosterone sulphate and the role of steroid sulphate, 314
SUK K., SIPES D.G. & ERICKSON K.L. Enhancement of B-cell translocation gene-1 expression by prostaglandin E_2 in macrophages and the relationship to proliferation, 121
SUZUKI S. *see* MORODA T.
see also SHINOMIYA T.
SVELANDER L., MÜSSENER Å., ERLANDSSON-HARRIS H. & KLEINAU S. Polyclonal Th1 cells transfer oil-induced arthritis, 260
SWIFT G. *see* HART P.H.

TADA T. *see* MORODA T.
TAKAHASHI Y. *see* SAKAGUCHI M.
TAKAKU K. *see* KATAOKA T.
TAKAKURA K. *see* YAMABE T.
TAKASE K. *see* KOSUGI A.
TAKAYAMA H. *see* KATAOKA T.
TAKEDA K. *see* MORODA T.
TAKEDA S. *see* YAMABE T.
TAKIMOTO H. *see* KADENA T.
TAMURA K. *see* RIKIISHI H.
TANAKA Y. *see* AOI T.
see also HORIUCHI S.
TANIGUCHI Y. *see* SAKAGUCHI M.
TARABAN V.Y. *see* SELEDTSOVA G.V.
TAYLOR K.M., TRIMBY A.R. & CAMPBELL A.K. Mutation of recombinant complement component C9 reveals the significance of the N-terminal region for polymerization, 20
TEH H.-S. *see* ONG C.J.
TERRY L.A., USHERWOOD E.J., LEES S., MACINTYRE N. & NASH A.A. Immune response to murine cell lines of glial origin transplanted into the central nervous system of adult mice, 436
TESHIGAWARA K. *see* YAMABE T.
THOMAS J.A. *see* HOLT P.G.
TILL S., DURHAM S., DICKASON R., HUSTON D., BUNGRE J., WALKER S., ROBINSON D., KAY A.B. & CORRIGAN C. IL-13 production by allergen-stimulated T cells is increased in allergic disease and associated with IL-5, but not IFN-γ expression, 53
TITE J.P. *see* BRETT S.J.
TOGASHI K. *see* KATAOKA T.
TOKSOY A. *see* GOEBELER M.
TOUJAS L., DELCROS J.-G., DIEZ E., GERVOIS N., SEMANA G., CORRADIN G. & JOTEREAU F. Human monocyte-derived macrophages and dendritic cells are comparably effective *in vitro* in presenting HLA class I-restricted exogenous peptides, 635
TRIMBY A.R. *see* TAYLOR K.M.
TRINCHIERI G. *see* MOLLER D.R.
TSUBOI M. *see* KAWAKAMI A.
TSUKAGOSHI H. *see* HACZKU A.
TSUKAHARA A. *see* MORODA T.

UMESAKI Y. *see* KAWAGUCHI-MIYASHATI M.
URAYAMA S. *see* KAWAKAMI A.
USHERWOOD E.J. *see* TERRY L.A.

VAN BOCKSTAELE D.R. *see* LARDON F.
VAN DER MEER J.W.M. *see* BLEEKER M.W.P.
VAN DER VEN-JONGEKRIJG J. *see* BLEEKER M.W.P.
VAN DER ZEE R. *see* WARR K.
VAN FURTH A.M., VERHARD-SEIJMONSBERGEN E.M., VAN FURTH R. & LANGERMANS J.A.M. Effect of lisofylline and pentoxifylline on the bacterial-stimulated production of TNF-α, IL-1β and IL-10 by human leucocytes, 193
VAN FURTH R. *see* VAN FURTH A.M.
VAN REES E.P. *see* MCDONALD S.A.C.
VAN TENDELOO V.F.I. *see* LARDON F.
VANDENABEELE P. *see* LARDON F.
VANHAM G.L.E.E. *see* LARDON F.
VELU T. *see* KOSSODO S.
VERHARD-SEIJMONSBERGEN E.M. *see* VAN FURTH A.M.
VYAS V. *see* JULIUS P. JR

WAHL L. *see* MOLLER D.R.
WAKI M. *see* HORIUCHI S.
WALES M.R. *see* SUITTERS A.J.
WALKER S. *see* TILL S.
WANG Z.-Q. *see* OLIKOWSKY T.
WARR K., FORTUNE F., NAMIE S., SHINNICK T., VAN DER ZEE R., WILLIAMS G. & LEHNER T. T-cell epitopes recognized within the 65 000 MW hsp in patients with IgA nephropathy, 399
WATANABE H. *see* MORODA T.
WATANABE M. *see* SAKAGUCHI M.
WATSON F. *see* QUAYLE J.A.
WECHSLER S.L. *see* GHIASI H.
WHITTALL J.T.D. & PARKHOUSE R.M.E. Changes in swine macrophage phenotype after infection with African swine fever virus: cytokine production and responsiveness to interferon-γ and lipopolysaccharide, 444
WILKINSON P.C. *see* KOMAI-KOMA M.
WILLIAMS G. *see* WARR K.
WILLIAMS N.A. *see* NASHAR T.O.
WINDE G. *see* LÜGERING N.
WOLOWCZUK I., DELACRE M., ROYE O., GIANNINI S.L. & AURIAULT C. Interleukin-7 in the skin of *Schistosoma mansoni*-infected mice is associated with a decrease in interferon-γ production and leads to an aggravation of the disease, 35
WOODGER R. *see* SUITTERS A.J.
WYSOCKA M. *see* MOLLER D.R.

YAMABE T., TAKAKURA K., SUGIE K., KITAOKA Y., TAKEDA S., OKUBO Y., TESHIGAWARA K., YODOI J. & HORI T. Induction of the 2B9 antigen/dipeptidyl peptidase IV/CD26 on human natural killer cells by IL-2, IL-12 or IL-15, 151
YAMADA H. *see* MATSUZAKI G.
YAMAMOTO M. *see* HORIUCHI S.
YAMAMOTO N. *see* HORIUCHI S.
YANG J. & MITSUYAMA M. An essential role for the endogenous interferon-γ in the generation of protective T cells against *Mycobacterium bovis* BCG in mice, 529
YASUEDA H. *see* SAKAGUCHI M.
YBARRONDO B., O'ROURKE A.M., MCCARTHY J.B. & MESCHER M.F. Cytotoxic T-lymphocyte interaction with fibronectin and vitronectin: activated adhesion and cosignalling, 186
YERKOVICH S.T., OLVER S.D., LENZO J.C., PEACOCK C.D. & PRICE P. The roles of tumour necrosis factor-α, interleukin-1 and interleukin-12 in murine cytomegalovirus infection, 45

YODOI J. *see* YAMABE T.
YOUNG J.L., GOODALL J.C., BEACOCK-SHARP H. & GASTON J.S.H. Human γδ T-cell recognition of *Yersinia enterocolitica*, 503
YOUNG L.S. *see* AZOUAOU N.
ZENG W. *see* GAO J.-X.
ZHANG J.-G. *see* CUNNINGHAM A.C.
ZHAO H. *see* ROMAN V.
ZHONG R. *see* GAO J.-X.
ZHOU Y.W. *see* HORIUCHI S.

Subject Index

African swine fever virus:
  effects on swine macrophages, 444
Anti-CD4 antibody, humanized:
  effects on human T cells, 346
Antigen presentation:
  by B-lymphoma cells, 212
  by lung epithelial and endothelial cells, 458
Apoptosis:
  role of oligodeoxynucleotides, 586
Arthritis, oil induced:
  transfer by polyclonal T-helper 1 cells, 260
Arthritis, rheumatoid:
  neutrophil FcγRI expression, 266
Asthma:
  antibody response to keyhole limpets haemocyanin, 167
Autoantibodies, erythrocyte specific:
  in lymphocytic choriomeningitis virus-infected mice, 239
Autoantigens:
  in NZB mice, 246
Autologous killing:
  and intermediate T-cell receptor cells, 219
Autoreactive T-cell clones:
  induced by *Listeria monocytogenes* infection, 520

B-cell activation by the B subunit of *Escherchia coli* enterotoxin, 572
B-cell translocation gene-1 expression:
  enhancement by prostaglandin E_2, 121

Cα, bovine:
  characterization, 1
Calcium-binding protein MRP8/14:
  release by monocytes, 130
CD26, on human natural killer cells:
  by cytokines, 151
CD32 isoforms:
  differential expression following alloactivation, 204
CD45:
  regulation of thymic positive selection, 95
CD45RC isoform expression:
  in CD4 T cells, 323
Chemotaxis, antigen specific:
  of B cells, 579
Clostridium difficile toxin B:
  induction of neutrophil migration, 281
Colitis:
  in interleukin-2 knockout mice, 73
Complement C9:
  significance of N-terminus for polymerization, 20
Contact hypersensitivity, suppression:
  role of histamine, 601
CR3-mediated phagocytosis:
  effect of cytokines, 289
Cyclic AMP-dependent cytokine production, 361
Cyclosporin B binding sites:
  in human lymphocyte subsets, 609
Cytokine production, human:
  effect of dexamethasone and chlorpromazine, 548
Cytomegalovirus infection, murine:
  roles of tumour necrosis factor-α, interleukin-1 and interleukin-12, 45
Cytotoxic T-lymphocyte interaction:
  with fibronectin and vitronectin, 186

Dehydroepiandrosterone:
  immune-enhancing effects, 314
Dendritic cell generation:
  effects of cyclosporin on, 553
Dendritic cell-like antigen-presenting cells:
  in long-term mixed-leucocyte culture, 135
Dendritic cells, airway:
  effect of steroids on, 145
Dendritic cells, dermal:
  cytokine receptors, 303
Dipeptidyl peptidase IV inhibitors:
  effects on peripheral blood mononuclear cells and T cells, 354

Epitope specificity:
  of immunoglobulin E antibodies to Japanese cedar pollen antigen, 161
Erythrocytes, malaria infected:
  serum resistance, 7

Factor I deficiency:
  complement-activating activity in patients with, 486
Forbidden clones, self-reactive:
  under immunosuppression, 88

Glial origin cell lines:
  immune response to, 436

Herpes simplex virus-1 vaccine:
  efficacy in knockout mice, 430
Human immunodeficiency virus infection:
  heterogeneity of cytokine functions, 234
Human leucocyte antigen expression:
  regulation by interferon and influenza A, 421
Hyperresponsiveness, airway:
  adoptive transfer, 176

Immune memory:
  in $CD4^+$ $CD45RA^+$ T cells, 331
Immunoglobulin E responses:
  effects of antigen dose, 464
Interferon regulatory factors:
  in thymic development, 340
Interferon-γ and transforming growth factor-β:
  role in nitric oxide production in macrophages, 109
Interferon-γ:
  generation of immunity to bacillus Calmette–Guérin, 529
  induction of *c-fos* and *c-jun* in astrocytes, 560
Interleukin-2, by alveolar macrophages:
  role of leukotriene B_4, 369
Interleukin-2Rα:
  altered expression in human T-cell lymphotropic virus type-I-infected T cells, 28
Interleukin-7:
  in *Schistosoma mansoni* infection, 35
Interleukin-8 gene:
  transcriptional activation by platelet-activating factor, 297
Interleukin-10:
  and synovial cells, 252
  modulation of susceptibility to cerebral malaria, 536
Interleukin-12, human:
  inhibition of production by pentoxifylline, 197
Interleukin-13:
  induction of monocyte chemoattractant protein-1 expression, 450
Interleukin-13 production:
  by allergen-stimulated T cells, 53
Intracellular calcium:
  increased by FTY720, 594

Intraepithelial lymphocytes:
signal transduction in, 81
Intraepithelial lymphocytes, activation:
cyclosporin A sensitivity, 628
Invariant chain expression:
elevation by granulocyte–macrophage colony-stimulating factor, 114

Lipopolysaccharide:
binding to mouse bone marrow cells, 391
Lisofylline and pentoxifylline:
effect on cytokine production, 193

Macrophage differentiation:
mediation by interferon-γ and interleukin-10, 104
Major histocompatability complex class I-restricted exogenous peptides:
presentation by macrophages and dendritic cells, 635

Natural killer activity:
in murine cytomegalovirus infection, 227
Nitric oxide synthase:
inducible stimulation by soluble CD23, 643

Perforin:
inactivation and degradation within lytic granules, 493
Phage display library:
selection of antibodies to thymic epithelial cells, 473
Pre-T-cell-receptor complex:
subunit composition, 618

Recombinant anti-rhesus antibody:
from baculovirus-expression system, 13

Sphingomyelinase activation:
in neutrophils, 274
Superantigenicity of T-cell mitogen (SPM-2) from *Streptococcus pyogenes*, 406

T-cell clones induced by *Listeria monocytogenes* infection, 520
T-cell epitopes, in 65 000 MW heat-shock protein:
in immunoglobulin A, 399
T-cell receptor complex subunit composition, 618
T-cell receptor $\alpha\beta^+$ $CD4^-$ $CD8^-$ T cells:
in listeriosis, 511
T-cell receptor β-chain diversity, elimination:
effects on T-cell responses, 375
T-cell responses:
to *Mycobacterium avium*, 414
γδ T-cell reconstitution of SCID mice, 65
γδ T-cell recognition, human:
of *Yersinia enterocolitica*, 503
$\gamma\delta^+$ T-cell receptor cells:
in bovine skin, 58
T-helper 2 cytokines:
production by CD57/HNK T cells, 541
Transplantation, peritoneal cavity B cells:
and age of recipient, 383

Vβ gene usage:
against thyroglobulin epitope, 623
Variable region structure:
monoclonal immunoglobulin M anti-laminin receptor antibody, 479
Vascular cell adhesion molecule-1 expression:
enhancement by interleukin-10, 565